JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 203 NUMBERS 1–2, JANUARY 1994

Contents

Publisher's note v

Editorial vii

Letters

Structural characterization of $Sm_{1-x}Ca_xFeO_{3-y}$ ($0 \leqslant x \leqslant 0.50$) L1
J. Li (Lanzhou, China)

The isothermal section of the Cu-rich Cu–Be–Co ternary system at 500 °C L5
X. Ou, X. Fang and Y. Zhuang (Nanning, China)

Effect of ball milling on the hydrogen absorption rate of FeTi and Mg_2Ni compounds. L7
K. Aoki, H. Aoyagi (Sendai, Japan), A. Memezawa (Tagajo, Japan) and T. Masumoto (Sendai, Japan)

Electrical resistivity in the R_5Si_3 systems (R ≡ La, Ce, Pr, Nd, Sm) L11
F. Canepa, S. Cirafici, F. Merlo and A. Palenzona (Genova, Italy)

Regular Papers

Coexistence of ordered and disordered phases in a $CeGe_{2-x}$ single crystal 1
B. Lambert-Andron (Grenoble, France), N. Boutarek (St. Martin d'Hères, France), J. Pierre (Grenoble, France) and R. Madar (St. Martin d'Hères, France)

Darstellung und Kristallstruktur des neuen Lanthanaurates $La_4Au_2O_9$ 7
M. Ralle und M. Jansen (Bonn, Deutschland)

Characterization and magnetic properties of the new green-coloured R_2BaCoO_5 oxides (R ≡ Dy–Lu and Y). 15
J. Hernández-Velasco, A. Salinas-Sánchez, F. Fernández and R. Sáez-Puche (Madrid, Spain)

Magnetic properties of rare earth–manganese compounds of the type $RMnSi_2$ 23
P. Schobinger-Papamantellos (Zürich, Switzerland), J.H.V.J. Brabers, R.F. de Boer (Amsterdam, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

Investigation by ^{119}Sn Mössbauer spectroscopy, magnetic and electrical resistivity measurements of U_2M_2Sn stannides (M ≡ Fe, Co, Ni, Ru, Rh, Pd) 29
F. Mirambet, B. Chevalier, L. Fournès, P. Gravereau and J. Etourneau (Talence, France)

Structural study of CeM_2 (M ≡ Fe, Co, Ni) 35
A. Ślebarski, M. Matlak (Katowice, Poland) and M. Hafez (Ismailia, Egypt)

Partial phase diagram for the system $Cu_{0.5}Au_{0.5-x}Ni_x$ with $x \leqslant 0.15$. 45
T. Shiraishi, M. Ohta, M. Nakagawa (Fukuoka, Japan) and K. Fujii (Kagoshima, Japan)

Low-temperature phase transitions in some quaternary solid solutions of IV–VI semiconductors 51
A.I. Lebedev and I.A. Sluchinskaya (Moscow, Russian Federation)

New incommensurate structures of the borides $Pr_{41}(Mn_4B_4)_{35}$ and $Pr_7(Re_4B_4)_6$. 55
P.Yu. Zavalij, S.I. Mykhalenko and Yu.B. Kuz'ma (L'viv, Ukraine)

Low temperature formation of MgH_2 in $Ti_{0.6}Zr_{0.4}Mn_{0.8}CrCu_{0.2}/Mg$ 61
S. Orimo, M. Tabata, H. Fujii (Higashi-Hiroshima, Japan), K. Yamamoto, S. Tanioka, T. Ogasawara and Y. Tsushio (Hiroshima, Japan)

Thermal conductivity and specific heat of boron carbides. 67
P.A. Medwick (Ithaca, NY, USA), H.E. Fischer (Orsay, France) and R.O. Pohl (Ithaca, NY, USA)

Thermochemical assessment and systematics of bonding strengths in solid and liquid "MeN" 3d transition metal nitrides 77
A. Fernández Guillermet (Bariloche, Argentina) and K. Frisk (Stockholm, Sweden)

Ternäre Strontium-Rhodium-Hydride 91
W. Bronger, R. Beißmann und G. Ridder (Aachen, Deutschland)

^{155}Gd Mössbauer effect in AlB_2-type $GdGa_{2-x}Al_x$ compounds. 97
F.M. Mulder, R.C. Thiel (Leiden, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

Elsevier Sequoia

Thermodynamic properties of liquid alloys of 3d transition metals with metalloids (silicon, carbon and boron) 103
V.T. Witusiewicz (Kiev, Ukraine)

Solid state nitrization reaction of amorphous tantalum aluminium nitride alloy powders: the role of amorphization by reactive ball milling 117
M. Sherif El-Eskandarany (Cairo, Egypt)

Preparation and microstructure of Al_2O_3–TiC composites by self-propagated high temperature synthesis 127
A. Chrysanthou, A. Saidi, C.E.W. Aylott and J.V. Wood (Nottingham, UK)

The crystal structure of $NdFe_{1-x}Sb_2$ and isotypic compounds $RE(Fe, Co)_{1-x}Sb_2$ (RE≡La, Ce, Pr, Sm, Gd) 133
A. Leithe-Jasper and P. Rogl (Wien, Austria)

The structure of some ternary intermetallic compounds of the rare earths 137
A. Iandelli (Genova, Italy)

Magnetic susceptibility and demixing in liquid Fe–Sn 139
P. Terzieff (Wien, Austria) and R. Lück (Stuttgart, Germany)

Structural and magnetic characterization of novel stoichiometric $LnCaCrO_4$ oxides (Ln, rare earth) 148
A. Morales Sánchez, F. Fernández, R. Sáez Puche and F. Fernández-Martín (Madrid, Spain)

An investigation of the electrochemical kinetics of deuterium insertion into a Pd membrane electrode in 0.1 M LiOD solution by the a.c. impedance technique 149
S.-I. Pyun, C. Lim (Daejon, South Korea) and K.-B. Kim (Seoul, South Korea)

R_2Fe_{17} and RM_{12} carbide and carbonitride synthesis from heavy hydrocarbon compounds 157
D. Fruchart, O. Isnard, S. Miraglia, L. Pontonnier, J.L. Soubeyroux (Grenoble, France) and R. Fruchart (Saint-Martin d'Hères, France)

Structural phase transformation and shape memory effect in ZrRh and ZrIr 165
E.L. Semenova and Yu.V. Kudryavtsev (Kiev, Ukraine)

Structure and magnetic properties of Fe_4N–Fe alloys produced by mechanical milling 169
K.-J. Kim, K. Sumiyama, H. Onodera and K. Suzuki (Sendai, Japan)

Isothermal section from 50 to 75 at.% Mg of the ternary system Y–La–Mg 177
M. Giovannini, R. Marazza, A. Saccone and R. Ferro (Genova, Italy)

Reactions of the alkaline earth metal pyro- and ortho-vanadates with ammonia 181
H.-Zh. Li, L.-M. Liu, K.P. Reis and A.J. Jacobson (Houston, TX, USA)

Zur Struktur der Hochtemperaturphase $Ti_{1-x}Al_{1+x}$ 189
J. Braun, M. Ellner und B. Predel (Stuttgart, Deutschland)

Electrode stability of La–Ni–Mn hydride-forming materials prepared by conventional and rapid quenching techniques 195
W. Tang and G. Sun (Beijing, China)

Note on the crystal field and intersublattice coupling in $Er_2Fe_{17}C$ and $Tm_2Fe_{17}C$ studied by means of the ^{166}Er and ^{169}Tm Mössbauer effect 199
P.C.M. Gubbens, A.A. Moolenaar (Delft, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

Room temperature synthesis and structural characterization of monoclinic $LiCuO_2$ by X-ray and neutron diffraction 203
R. Berger and L.-E. Tergenius (Uppsala, Sweden)

Synthesis, high resolution electron microscopy and crystal structure refinement of the cluster compound $Ba_3Nb_{16}O_{23}$ by X-ray and neutron diffraction 209
V.G. Zubkov, V.A. Pereleyaev, A.P. Tyutyunnik, I.A. Kontsevaya, V.I. Voronin (Ekaterinenburg, Russian Federation) and G. Svensson (Stockholm, Sweden)

Magnetic properties of $Ce_2Fe_{17-x}Al_x(N_y)$ compounds 217
D.P. Middleton and K.H.J. Buschow (Eindhoven, Netherlands)

Structural stability and thermodynamic properties of Zr–N alloys 221
T. Ogawa (Ibaraki-ken, Japan)

Etude des propriétés de conduction ionique des solutions solides $Bi^{3+}_{1-x}(A^{2+}_{0,5}B^{5+}_{0,5})_xO_{1,5+0,25x}$ (A≡Pb, Mg; B≡Nb, Ta) 229
B. Farahat Laroussi, S. Khairoun (Tetouan, Marocco), J.M. Réau et A. Tressaud (Talence, France)

Electrochemical and surface properties of $Zr(V_xNi_{1-x})_2$ alloys as hydrogen-absorbing electrodes in alkaline electrolyte 235
A. Züttel, F. Meli and L. Schlapbach (Fribourg, Switzerland)

Magnetic properties of $DyMn_6Ge_6$ studied by neutron diffraction and magnetic measurements 243
P. Schobinger-Papamantellos (Zürich, Switzerland), F.B. Altorfer (Villigen, Switzerland), J.H.V.J. Brabers, F.R. de Boer (Amsterdam, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

Magnetic studies on alkali metal uranates(V) MUO_3 with the perovskite structure 251
Y. Hinatsu (Ibaraki, Japan)

Phases in rapidly cooled scandium–silicon samples 259
V. Kotroczo and I.J. McColm (Bradford, UK)

Luminescence in the chloroborates $Ba_2Ln(BO_3)_2Cl$ 267
W.J. Schipper and G. Blasse (Utrecht, Netherlands)

$Al_{69}Ta_{39}$—a new variant of a face-centred cubic giant cell structure 271
S. Mahne and B. Harbrecht (Bonn, Germany)

Optimization and calculation of the Fe–Ta phase diagram 281
S. Srikanth (Jamshedpur, India) and A. Petric (Hamilton, Ont., Canada)

Structural studies of Li_5ReO_6, Li_4NpO_5 and Li_5NpO_6 by neutron and X-ray powder diffraction 289
L.R. Morss, E.H. Appelman, R.R. Gerz (Argonne, IL, USA) and D. Martin-Rovet (Paris, France)

Announcement 297

Author Index 299

Subject Index 301